

Product Name : Inkjet Batch Coding Machine Product Code : EQUP-MC20086-0050

Description :

Inkjet Batch Coding Machine

Technical Specification :

Ink Type Ink Types Capacity Veriabal Material Veriable Display Type Digital Automation Grade Automatic Display Digital Frequency 50-60 Voltage 180 V Weight Unpacked and dry 39.68 lbs. (18 kg) Power 100-120 / 200-240 VAC at 50/60 Hz.,120 W Data Matrix 0% to 90% RH non-condensing Size 8-10 mm

Display	4.3" full color Touch Screen LCD with LED backlight.
Languages	English, Spanish, French, German, Chinese, etc.
Input Device	800 x 480 Touch Screen LCD, Pen Drive.
Printable Images	Alphanumeric, Logo, Date/Time, Counter, Barcode, etc. UPCA, UPCE, EAN13, EAN8, INT25, CODE39, CODE128, ENA128, PDF417, DATAMATRIX, QR
Printing Area	1 to 6 lines of 2000 characters from 1.2 to 12.7 mm high.
Printing Direction Message Capacity	Adjustable at any angle within 360 degree Store upto 999 messages with Message Name.

Printing Speed Max. 70 meters/min for 1 to 6 line printing at 300 dpi **Prints Using** Hewlett-Packard (hp) TIJ 2.5 Print-head for spraying ink **Print Distance** Max. 6 mm from substrate down or in front. Inking Medium 42 cc disposable pre-mix ink in Cartridge form with head. Solvent/Oil based inks (black, white, red, **Printing Medium** blue, yellow, etc.) Ink Drying Time Min. 5 seconds on plastics & laminates. Impressions Appx. 25 Lakh characters of 2 mm per cartridge of ink. **Operating Range** 10 ~ +38°C 10% - 80% RH, noncondensing. Supply Voltage 90 - 240 Vac, 50/60 Hz, 5 W Battery Voltage 16.8V lithium battery, 10 hours use / 20 hours standby Dimensions H130 x W128 x D20 mm Weight 1.2 Kg excluding cartridge & battery.



Equip Machines China Email us at: sales@equipmentsmachines.com